



上海富士电梯
SHANGHAI FUJI ELEVATOR

传承级品质电梯
INHERITANCE-QUALITY ELEVATOR

生活家 别墅电梯

LEHOME Home Elevator

上海富士电梯有限公司
SHANGHAI FUJI ELEVATOR CO., LTD.

上海市奉贤区大叶公路7505-7515号
No. 7505-7515 Daye Road, Fengxian District, Shanghai, China

总机 Switchboard: 021-57559666
传真 Fax: 021-57559735 / 57559739
E-mail: shfuji@sh-fuji.cn
服务电话 Tel: 400-820-6026 / 800-820-6026
www.sh-fuji.cn



官方微信

本样册仅供参考, 本公司保留随时更新产品设计与规格的权利。
样册内产品信息说明不构成任何担保或承诺, 不视作产品或服务合同条款。
The publication is for reference only and SHANGHAI FUJI ELEVATOR reserves the right at any time to alter the product design and specifications. No product introduction the publication contains shall be construed as a warranty or condition, so as any terms of product or service contracts.



上海名牌
Shanghai Brand



上海高新技术企业
Shanghai High-tech Enterprise



ISO 9001



ISO 14001



GB/T 28001



采用国际
标准产品
Adoption of International
standard products

版本号: 1906V1P2-EL-73

上海富士电梯有限公司
SHANGHAI FUJI ELEVATOR CO., LTD.

上海富士电梯 生活家 别墅电梯

SHANGHAI FUJI ELEVATOR
LEHOME Home Elevator

电梯与家，融为一体
Technological Aesthetics Unique Harmony

传承精致、专注、考究的上海工业精神，
传承上海富士传承级品质电梯的深厚内涵，
融合智能科技和美学定制，
以匠心底蕴和匠人精神，
成就上海富士别墅电梯臻臻匠品，
科技美学，独树一帜，
重新定义别墅电梯生活的新风范，
内富外士，传世之作。

Inherit the essence of Shanghai Industrial Spirit,
Integrate the intelligent technology and aesthetic customization,
Stick to inner principle and gradually instill innovation,
Set up the highest standard for quality,
We create the artisanal and forceful inheritance-level quality.
SHANGHAI FUJI ELEVATOR LEHOME Home Elevator,
Hold a special artistic charm of Delicate, Elegant and Gentle,
Make it handed down among the enduring masterpiece and your Villa.

目录 Contents

功能特点 Function Characteristics	P01
标配轿厢 Standard Car	P07
选配轿厢 Optional Car	P08
操纵箱&召唤盒 COP&LOP	P14
厅门 Landing Door	P15
井架结构/地板 Hoistway Optional/Floor	P16
功能配置表 List of Configuration Specifition	P17
井道布置图/技术规格表 Hoistway Layout/Technical Specification Memo	P19
关于我们 About Us	P21
智立方™ 电梯物联网系统 Intelligent Cube™, The IoT System Realtime	P23
以客户为尊 Put Clients First	P24

功能特点

Function Characteristics

消除楼梯的繁琐，创造上下的便捷，美化生活的空间，安享自在的感觉——上海富士电梯传承精致、专注、考究的上海工业精神，传承上海富士电梯匠心、匠人、匠品的价值内核与传承级品质电梯的深厚内涵，以独树一帜的科技美学，重新定义别墅电梯生活新风范，以“内富外士”的诚挚之道，呈现与您家里的别墅相配的至臻传世佳作。

Inherit the essence of Shanghai Industrial Spirit, integrate the intelligent technology and aesthetic customization, stick to inner principle and gradually instill innovation, set up the highest standard for quality, we create the brand-new SHANGHAI FUJI ELEVATOR Home Elevator.

上海富士电梯全新一代无机房别墅电梯独有的六步定制服务，结合380V/220V两种电源配置、钢丝绳、钢带两种曳引方式，自动门、手拉门等多种开门方式，贯通型、L型等多种入户方式—丰富多样的空间布局和因地制宜的结构设计，更好地满足客户的多样化需求。

SHANGHAI FUJI ELEVATOR Home Elevator provide the Six-Steps-Services to meet the diverse needs of customers better, provide abundant and diverse spatial layout and structural design to suit local conditions, cover all aspects from architecture survey to personalized customization.

上海富士电梯全新一代无机房别墅电梯采用高性能永磁同步无齿轮曳引机、矢量控制的变频变压调速VVVF调速技术、全面进化的无机房设计，更推出了全新优化的超小紧凑型控制柜、全新调配的优雅舒适灯光环境和全新设计的经典大气艺术外观，与各种风格的别墅、住宅都能完美融合。

SHANGHAI FUJI ELEVATOR Home Elevator adopt the PMS gearless machine, the new generation of VVVF control and drive systems, the compact structure of innovative machine roomless design, make the home elevator safer, more efficient and energy-saving all the time.

功能特点

Function Characteristics

稳定可靠

Reliable Stabilization

上海富士电梯全新一代无机房别墅电梯采用最新型的高性能永磁同步无齿轮曳引机、矢量控制的变频变压调速VVVF调速技术与全面优化的无机房设计。通过变频器调节供给电动机的电压和频率、自由控制电动机的转速，通过矢量控制伺服跟踪电动机的瞬间转速、让电动机的运行稳定可靠，具有高效率、低噪音、无油污、更舒适、省空间、超节能的突出优点。

SHANGHAI FUJI ELEVATOR Home Elevator adopt the PMS gearless machine with advanced international design and lean manufacturing standard, the new generation of VVVF control and drive systems with better performance, the compact structure of innovative machine roomless design. The voltage and frequency supplied to the motor are regulated by the frequency converter, and the speed of the motor is freely controlled. The instantaneous speed of the motor is tracked by the vector control servo system. It has the outstanding advantages of stable and reliable, high efficiency, lower noise, no oil pollution, more comfortable, space saving and super energy saving.

驱控一体化系统

New generation of control and drive systems

新一代控制驱动一体化系统将驱动控制有机结合，性能更好，结构更紧凑；先进的驱动算法让电梯更舒适。

The new generation of control and drive systems realizes organic integration of drive and control and has better performance and a compact structure. The advanced drive solution makes elevators more comfortable.

高效永磁同步无齿轮曳引机


High efficient PMS gearless machine

采用永磁同步无齿轮曳引机，体积灵活，降震减噪。

Using PM traction machine can save room and decrease noise and shaking.

注：右图为钢丝绳曳引机。

Note: The picture right shows the wire rope traction machine.



功能特点

Function Characteristics

安全安心

Reliable Safety

上海富士电梯全新一代无机房别墅电梯从产品研发、设计验证，在驱动系统、控制系统、门区保护、轿厢运行、井道防护等各个环节设置了全方位多重安全保护系统，辅以上海富士电梯认证、严选的优质安全部品，让别墅生活更加安全、安居、安心。


SHANGHAI FUJI ELEVATOR Home Elevator set up a comprehensive multiple safety protection system, including the automatic detection of the breaking force, car-slip prevention, protection of reversed movement, anti-slip protection, anti-galloping protection, terminal over-travel prevention, upward and downward overspeed detection, UCMP and etc. Each strictly selected and certified components must be tested and double-checked by our Technology Center and the Quality Center.

多重安全系统

Multi-tasking Security Protection

集成了抱闸制动力自动检测、逆向运行保护、钢丝绳防打滑保护、飞车禁止保护、门区外不能开门保护、门锁异常自动开门保护等全面安全保护功能。

It integrates automatic brake braking force detection, reverse running protection, wire rope anti-slip protection, speed prohibition protection, door opening protection outside door area, door lock abnormal automatic door opening protection and other comprehensive safety protection features.



严选安全部品

Rigorously Selection to Certified Components

以严谨的开发设计细节和严苛的品质要求标准，严选安全部品，所有合格的安全部品必须经过上海富士电梯技术中心与品质中心双重检查与认证才可选用。

With strict development of design details and strict quality requirements, strict selection of safety components, all qualified safety components must be double-checked and certified by SHANGHAI FUJI ELEVATOR Technology Center and Quality Center.



功能特点

Function Characteristics

完美和谐


Intimate Humanization

上海富士电梯全新一代无机房别墅电梯可提供380V/220V两种电源配置、钢丝绳与钢带两种曳引方式，自动门与手拉门等多种开门方式，贯通型与L型等多种入户方式。多样化的空间布局，可定制的结构设计，节省了宝贵的建筑空间，降低了建筑物建造成本，提升室内空间利用率和电梯安装效率，更赋予建筑设计师以更大的自由创意空间，无论采用哪种建筑结构与设计风格，上海富士电梯全新一代无机房别墅电梯均能实现电梯与建筑的完美融合。

SHANGHAI FUJI ELEVATOR Home Elevator can provide two kinds of power supply configuration(380V/220V), two kinds of traction(wire rope and steel strip), two kinds of doors(automatic door and hand-pulled door), various ways of entering (walk-through type and L-type). Diversified spatial layout and customizable structural design not only save valuable building space, reduce building construction costs, improve indoor space utilization and elevator installation efficiency, but also give architects greater freedom of creativity to achieve the perfect integration of elevator and building.

多种开门方式


Kinds of openside




旁开式
Side-opening

多种入户方式


Various ways of entering



贯通型
Through type



中分式
Center-opening



L型
L type



手拉门
Hand-drawn door

多种曳引介质

Kinds of traction

钢丝绳曳引

Wire rope traction

优质钢丝绳与龙门架结构，稳定可靠，使用寿命有效提升。


The high-quality steel wire rope and main frame structure are stable and reliable, so the service life can be improved.

钢带曳引

Steel belt traction

高效节能型钢带主机，配备节能、环保、耐用的复合钢带，空间结构进一步简化。

Efficient and energy-saving traction machine, equipped with energy-saving, environmentally friendly steel belt, the space can be save.



功能特点

Function Characteristics

匠心设计

Artificial Intelligence

上海富士电梯全新一代无机房别墅电梯把细腻、精致、考究的海派文化基因与上海富士电梯引以为傲的匠心底蕴、匠人精神和传承级品质相结合，把生活美学、创意巧思、人性关怀与体贴细节相结合，从噪音、震动、声震粗糙度（NVH）抑制技术的应用，到环保、可再生材料的严选，从全新设计吊顶与优雅舒适光环境的营造，到各种经典隽永风格的设计……为别墅电梯的有限空间提供更多细致入微的惬意感受。

SHANGHAI FUJI ELEVATOR Home Elevator inherit the essence of Shanghai Industrial Spirit, integrate the intelligent technology and aesthetic customization, stick to inner principle and gradually instill innovation, set up the highest standard for quality. The application of silencing technology and NVH reduction, the selection of environmentally friendly and renewable materials, the creation of new design ceiling and elegant light environment, the design of various classic meaningful style... make this fantastic artwork holding a special artistic charm of delicate, elegant and gentle, handing down among the enduring masterpiece and outstanding villa.



紧凑优雅的超小型控制柜

Optimized ultra-compact control cabinet

与普通控制柜相比，体积节省了
50%

- 相比普通控制柜，新的设计更加紧凑，空间减少50%。方便放在各种空间，也更方便维护。

Compared to normal control cabinets, The new design is more compact and the space is reduced by 50%. Convenient to put in a variety of spaces, but also more convenient to maintain.
- 控制柜采用全钢封闭设计；有效减少辐射。

The control cabinet is designed with an all-steel closure; Effectively reduce radiation.

普通控制柜
Ordinary control cabinet

上海富士控制柜
SHANGHAI FUJI Control Cabinet

大师级人性化光环境

Master Class Humanized Light Environment

上海富士电梯别墅电梯以绝佳艺术品味、严苛选材标准与大师级光线调校，创造一流的电梯照明光环境。看似平淡无奇的设计，不仅蕴含了化繁为简、无即是有的哲学内涵，更是从技术角度体现了做复杂易、做极难、体验人性化、最适色温调节等多种光环境技术的最新突破。

SHANGHAI FUJI ELEVATOR home elevator SMR & MRL elevator release a brand-new integrative suspended ceiling this time. The ceiling adopts the large area of clear and pure LED light plate. The spectral purity of the LED light source is creatively transformed into a large area of the surface light source.

全面优化的NVH抑制

Optimized NVH Inhibition

上海富士电梯别墅电梯系列以创新的跨界思维，在电梯业界内率先把广泛应用在高速列车、高档汽车研发中的噪音、震动、声震粗糙度（Noise、Vibration、Harshness）抑制技术和理念引入电梯产品。如今升级版的轿壁移频消音技术和全面优化的轿厢空气动力学设计与全新运行曲线标定，以及全新构型、全新配方的轿底隔音缓震模组，使轿厢的NVH抑制达到前所未有的高水准。

The technology and concept of noise, vibration and acoustic-seismic roughness (NVH) reduction, which are widely used in the research and development of high-speed trains and high-grade automobiles, are introduced firstly by SHANGHAI FUJI ELEVATOR home elevator SMR & MRL elevator into the elevator industry. The upgraded car wall frequency shifting silencing technology, the fully optimized car aerodynamic design and the new operation curve calibration, as well as the new configuration, the new formulation of the car bottom sound insulation damping module, make the car NVH suppression to an unprecedented high level.

功能特点

Function Characteristics

贴心定制

Customized Service

好的别墅风格各异，好的房子各不相同。我们深知用户的需求千差万别，因此，不管是在别墅设计之初就已对电梯配置做好整体规划，还是在建筑落成之后再增加配置别墅电梯，上海富士电梯全新一代无机房别墅电梯独有的“六步定制服务”，融合先进技术的智能科技、美学设计与因地制宜的精细施工、贴心服务，为实现梦想生活定制高价值的解决方案。

Whether there is a good overall plan for the elevator configuration at the beginning of the home design, or just want to increase a new home elevator after the completion of the building, SHANGHAI FUJI ELEVATOR Home Elevator offers unique "Six-Steps-Service" with the integration of advanced technology, intelligent science, aesthetic design, fine construction, intimate service according to local conditions, and customized high value solutions for the realization of a dream life.

六步定制服务

Six-step customization service



预约上门
通过服务热线或微信平台预约上门

Appointment booking
Make an appointment via the service hotline or wechat.



生产跟踪
客户通过微信平台随时了解产品制造进度

Production tracking
Customers can know the production progress of products through wechat.



免费测量
专业测绘团队，免费测量建筑空间

Free measurement
Professional mapping team, free measurement of building space.



上门安装
现场6s管理标准，专业安装团队提供贴心安装服务

On-site installation
On-site 6s management standard, professional installation team provides considerate installation service.



定制方案
技术和设计团队根据客户需求和空间情况，定制结构方案和美学方案

Customized solutions
The technical and design teams customize the structure and aesthetic solutions according to customer needs and space conditions.



终身负责
为客户提供全方位售后维保服务，对产品终身负责

Lifelong responsibility
Provide customers with all-around after-sales maintenance service for lifetimes.



标配轿厢
Standard Car

FML960

- 吊顶：双层吊顶LED LUX120F
 - 操纵箱：一体式FML200
 - 地板：PVC图案PV507
 - 后壁：发纹不锈钢
 - 侧壁：发纹不锈钢+镜面不锈钢
 - 前壁：发纹不锈钢
- Ceiling：Double type LED LUX120F
COP：Integrated COP FML200
Floor：Art design PVC PV507
Back Wall：Hairline SS
Side Wall：Hairline SS+Mirror SS
Front wall：Hairline SS



选配轿厢
Optional Car

FML961

- 吊顶：LED+香槟金不锈钢特别款
 - 操纵箱：一体式FML201
 - 地板：PVC图案
 - 后壁：化妆钢板+镜面不锈钢
 - 侧壁：化妆钢板+镜面不锈钢
 - 前壁：香槟金不锈钢
- Ceiling：LED+Champagne gold SS
COP：Integrated COP FML201
Floor：Art design PVC
Back Wall：Art steel+Mirror SS
Side Wall：：Art steel+Mirror SS
Front wall：Champagne gold SS



功能特点

轿厢标配

操纵箱&召唤盒

厅门

井架结构地板

功能配置表

井道布置图技术规格表

关于我们

物联网系统

以客户为尊

选配轿厢

Optional Car

FML962

- 吊顶: LED+钢板喷涂+实木特别款
 - 操纵箱: 一体式FML201
 - 地板: 复合地板
 - 后壁: 金钛不锈钢+化妆钢板+实木
 - 侧壁: 香槟金发纹不锈钢+饰条
 - 前壁: 香槟金发纹不锈钢+饰条
-
- Ceiling: LED+Champagne gold SS+Wood
 - COP: Integrated COP FML201
 - Floor: Wood
 - Back Wall: Gold Ti SS+Art steel+Wood
 - Side Wall: Champagne gold hairline SS+Line
 - Front wall: Champagne gold hairline SS+Line




选配轿厢

Optional Car

FML963

- 吊顶: LED+实木+化妆钢板特别款
 - 操纵箱: 一体式FML201
 - 地板: PVC图案
 - 后壁: 化妆钢板+镜面不锈钢+饰条
 - 侧壁: 化妆钢板+饰条
 - 前壁: 古铜发纹不锈钢
-
- Ceiling: LED+Wood+Art steel
 - COP: Integrated COP FML201
 - Floor: Art design PVC
 - Back Wall: Art steel+Mirror SS+Line
 - Side Wall: : Art steel+Line
 - Front wall: Bronze hairline SS



功能特点

轿厢标配

操纵箱&召唤盒

厅门

井架结构地板

功能配置表

井道布置图技术规格表

关于我们

物联网系统

以客户为尊

选配轿厢
Optional Car

FML964

吊顶: LED+金钛镜面不锈钢特别款
操纵箱: 一体式FML201
地板: PVC图案
后壁: 化妆钢板+金钛发纹不锈钢+实木
侧壁: 化妆钢板+金钛发纹不锈钢+实木
前壁: 金钛发纹不锈钢

Ceiling: LED+Gold mirror SS
COP: Integrated COP FML201
Floor: Art design PVC
Back Wall: Art steel+Gold hairline SS+Wood
Side Wall: Art steel+Gold hairline SS+Wood
Front wall: Gold Ti hairline SS



选配轿厢
Optional Car

FML965

吊顶: LED+金钛发纹不锈钢特别款
操纵箱: 一体式FML201
地板: PVC图案
后壁: 金钛镜面不锈钢+蚀刻
侧壁: 金钛发纹不锈钢
前壁: 金钛发纹不锈钢

Ceiling: LED+Gold hairline SS
COP: Integrated COP FML201
Floor: Art design PVC
Back Wall: Gold Ti mirror SS+Etoching
Side Wall: Gold Ti hairline SS
Front wall: Gold Ti hairline SS



功能特点

轿厢标配

操纵箱&召唤盒

厅门

井架结构地板

功能配置表

井道布置图技术规格表

关于我们

物联网系统


以客户为尊

选配轿厢
Optional Car

FML966

吊顶: LED+实木+化妆钢板+金钛不锈钢
操纵箱: 一体式FML201
地板: PVC图案
后壁: 古铜镜面不锈钢+蚀刻
侧壁: 古铜镜面不锈钢+蚀刻
前壁: 古铜发纹不锈钢

Ceiling: LED+Wood+Art steel+Gold SS
COP: Integrated COP FML201
Floor: Art design PVC
Back Wall: Bronze mirror SS+ Etching
Side Wall: Bronze mirror SS+ Etching
Front wall: Bronze hairline SS



操纵箱&召唤盒
COP&LOP



FML200 S

材质: 发纹不锈钢
显示: 7寸 LCD
按钮: 圆形不锈钢

Material: Hairline SS
Display: 7-inch LCD
Button: Round SS



FML201 O

材质: 发纹不锈钢
显示: 7寸 LCD
按钮: 方形全发光型

Material: Hairline SS
Display: 7-inch LCD
Button: Full lighting button

*仅可用于操控箱宽度≥300mm。
*Only for COP width ≥300mm.



GWZ300 S

材质: 发纹不锈钢
显示: LED
安装方式: 壁挂式

Material: Hairline SS
Display: LED
Installation: Easy fit type



GWZ301 S

材质: 发纹不锈钢
显示: LED
安装方式: 壁挂式

Material: Hairline SS
Display: LED
Installation: Easy fit type

扶手 (选配)
Handrail (Optional)



FS001

不锈钢
Stainless steel



FS003

不锈钢+黑胡桃木
Stainless steel+Black walnut



FS009

不锈钢
Stainless steel



FS010

不锈钢+檀木
Stainless steel+Sandalwood

功能特点

轿厢标配

操纵箱&召唤盒

厅门

井架结构/地板

功能配置表

井道布置图/技术规格表

关于我们

物联网系统

以客户为尊

厅门 (选配) Landing Door (Optional)



ART805A
手动门
厅门: 铝合金+印花玻璃
Landing Door: AL+Painting glass



ART805B
手动门
厅门: 铝合金+印花玻璃
Landing Door: AL+Painting glass



ART801
自动门
厅门: 发纹不锈钢
门套: 发纹不锈钢
Landing Door: Hairline SS
Door Pocket: Hairline SS



ART802
自动门
厅门: 金钛不锈钢+蚀刻
门套: 金钛不锈钢
Landing Door: Gold Ti SS+Etching
Door Pocket: Gold Ti SS



ART805C
手动门
厅门: 铝合金+印花玻璃
Landing Door: AL+Painting glass



ART805D
手动门
厅门: 铝合金+印花玻璃
Landing Door: AL+Painting glass



ART803
自动门
厅门: 金钛不锈钢+蚀刻
门套: 金钛不锈钢
Landing Door: Gold Ti SS+Etching
Door Pocket: Gold Ti SS



ART804
自动门
厅门: 金钛不锈钢+蚀刻
门套: 金钛不锈钢
Landing Door: Gold Ti SS+Etching
Door Pocket: Gold Ti SS

井架结构 (选配) Hoistway Structure (Optional)

钢结构井架 Steel hoistway structure



铝合金井架 AL hoistway structure



井道可选装潢 Hoistway decoration optional

铝合金框架颜色 Aluminum frame color



白色
White



玫瑰金
Rose gold



香槟金
Champagne gold

钢结构框架颜色 Steel frame color



白色
White




黑色
Black



银色
Silver


井道玻璃 Hoistway glass



全透明玻璃
Completely transparent glass



白色磨砂
White scrub



褐色
Brown


地板 Floor



AM51908 S
PVC单色锡灰
Pure color PVC



AM51903 S
PVC单色灰蓝
Pure color PVC



PV507 S
PVC图案
Art design PVC



PV508 O
PVC图案
Art design PVC

功能特点

轿厢标选配

操纵箱&召唤盒

厅门

井架结构地板

功能配置表

井道布置图技术规格表

关于我们

物联网系统

以客户为尊

功能配置一览表

List of Configuration Specification

<div>S</div> 电梯变频控制 VVVF control	<div>S</div> 自动返基站 Automatic return to the main floor
<div>S</div> 矢量控制 Vector control	<div>S</div> 数字量多段速度给定 Digital multi-stage speed preset
<div>S</div> 全集选控制 Full collective control	<div>S</div> 井道层楼数据自学习 Floor information self-studying
<div>S</div> 检修运行 Inspection operation	<div>S</div> 服务层的任意设置 Free setting of service floor
<div>S</div> 慢速自救运行 Slow self-rescue operation	<div>S</div> 司机操作 Attendant's operation
<div>S</div> 时钟控制 Clock control	<div>S</div> 层楼位置信号的自动修正 Automatic correction of floor position signal
<div>S</div> 保持开门时间的自动控制 Door opening time automatic control	<div>S</div> 锁梯服务 Elevator locking service
<div>S</div> 本层厅外开门 Door opening outside the hall of the current layer	<div>S</div> 门区外不能开门保护措施 Protective measures for guaranteeing no door opening outside the door area
<div>S</div> 关门按钮提前关门 Advanced door closing by the door-close button	<div>S</div> 门光幕保护 Light curtain protection of door
<div>S</div> 开门按钮开门 Door opening by the door-open button	<div>S</div> 超载保护措施 Overload protection measures
<div>S</div> 重复开门 Repeated door opening	<div>S</div> 轻载防捣乱功能 Anti-nuisance protection
<div>S</div> 换站停靠 Exchange stop	<div>S</div> 防打滑保护（运行时间限制器） Anti-slip protection (running time limiter)
<div>S</div> 错误指令取消 Cancellation of false command	<div>S</div> 防溜车保护 Anti car-slip protection
<div>S</div> 反向时自动消指令 Automatic call cancellation in reversed travelling	<div>S</div> 防终端越程保护 Terminal over-travel prevention
<div>S</div> 直接停靠 Direct parking	<div>S</div> 安全接触器继电器触点检测保护 Contact testing and protection of security contactor relay
<div>S</div> 满载直驶 Full-load bypass	<div>S</div> 调速器故障保护 Fault protection of speed governor
<div><div>S</div> 标配功能 Standard equipped functions</div> <div><div>O</div> 选配功能 Optional functions</div>	

功能配置一览表

List of Configuration Specification

<div>S</div> 主控CPU WDT保护 Main controller CPU WDT protection	<div>O</div> 语音报站功能 Voice annunciator
<div>S</div> 火灾紧急返回运行 Emergency return in case of fire	<div>O</div> 小区（或大楼）监控 Community (or building) monitoring
<div>S</div> 应急照明 Emergency lighting	<div>O</div> 后门操纵箱操作 Operation of rear-door operating panel
<div>S</div> 五方通话 5-ways intercom	<div>O</div> 前后门独立控制 Independent control of front and back doors
<div>S</div> 警铃报警 Bell alarm	<div>O</div> 厅外到站预报灯 Arrival hall lantern
<div>S</div> 预负载补偿 Preload compensation	<div>O</div> 无障碍功能 Accessibility
<div>S</div> 加速段截车响应 Acceleration-section stopping response	<div>O</div> 残疾人操纵箱操作 COP for the disabled
<div>S</div> 飞车禁止功能 Galloping prohibition function	<div>O</div> 大厅IC卡呼梯服务控制 IC card service in the hall
<div>S</div> 基站校验 Main floor verification	<div>O</div> 停电应急平层 Leveling during power failure
<div>S</div> 按钮粘连检查 Button adhesion inspection	<div>O</div> 开门再平层 Door opening and then leveling
<div>S</div> 运行次数记录 Trips recording	<div>O</div> 有线救援通话功能 Wired rescue call function
<div>S</div> 运行时间记录 Running time recording	<div>O</div> 无线救援通话功能 Wireless rescue call function
<div>S</div> 门锁异常自动开门 Automatic opening in the case of abnormal door lock	<div>O</div> 智立方™物联网系统 Intelligent Cube™, the internet of things
<div>S</div> 制动器制动力自动检测 Automatic detection of the braking force	<div>O</div> 轿厢意外移动保护装置 Car accidental movement protection device
<div><div>S</div> 标配功能 Standard equipped functions</div> <div><div>O</div> 选配功能 Optional functions</div>	

功能特点

轿厢标选

操纵箱&召唤盒

厅门

井架结构地板

功能配置表

井道布置图技术规格表


关于我们

物联网系统


以客户为尊

井道布置图


Hoistway Layout



井道立面图
Drawing of Hoistway (vertical view)



井道平面图
Drawing of Hoistway (plan view)



层门留孔图
Cut-out for landing door

技术规格表

Technical Specification Memo

自动门别墅电梯

Home elevator with automatic door

载重量(kg) Load	速度(m/s) Velocity	井道尺寸 (mm) 宽 (HW) × 深 (HD) Size of hoistway	轿厢尺寸 (mm) 宽 (CW) × 深 (CD) Size of car	中分、旁开门 (mm) 宽 (DW) × 深 (DH) Entrance beside	底坑深度PP (mm) Pit depth	顶层高度OH (mm) Overhead height	对重位置 Counter weight location
320	0.4	1500 × 1250	900 × 900	旁开-800 × 2000	≥ 300	≥ 2900	旁置 Side
		1800 × 1350	1200 × 900	中分-800 × 2000		≥ 3300	后置 Rear
400	0.4	1500 × 1450	900 × 1100	旁开-800 × 2000	≥ 300	≥ 2900	旁置 Side
		1800 × 1400	1200 × 1000	中分-800 × 2000		≥ 3300	后置 Rear

客户需求超出上表规格，请咨询我司技术人员。
If the customers need special specifications, please contact technical persons.

手拉门别墅电梯

Home elevator with hand-force sliding door

载重量(kg) Load	速度(m/s) Velocity	井道尺寸 (mm) 宽 (HW) × 深 (HD) Size of hoistway	轿厢尺寸 (mm) 宽 (CW) × 深 (CD) Size of car	中分、旁开门 (mm) 宽 (DW) × 深 (DH) Entrance beside	底坑深度PP (mm) Pit depth	顶层高度OH (mm) Overhead height	对重位置 Counter weight location
260	0.3	1350 × 1300	1000 × 1000	800 × 2000	≥ 200	≥ 3300	后置 Rear
320	0.3	1450 × 1400	1100 × 1100	800 × 2000	≥ 200	≥ 3300	后置 Rear

客户需求超出上表规格，请咨询我司技术人员。
If the customers need special specifications, please contact technical persons.

功能特点

轿厢标选
选配

操纵箱
召唤盒

厅门

井架结构
地板

功能配置表

井道布置图
技术规格表

关于我们

物联网系统

以客户为尊

关于我们

About Us

上海富士电梯成立于1992年，是中国电梯行业的先行者、开拓者、实践者与创新者之一。作为中国最早成立的民族电梯品牌之一，上海富士电梯拥有电梯制造、安装、改造、维修A级资质，是上海市高新技术企业，专注电梯服务近三十年，取得了不俗成绩，深受国内外广大用户的信赖。2018年1月，荣获2017年度全国政府采购电梯最佳服务品牌，2018年4月，出任中国电梯协会理事，2019年1月，荣获2018年度全国政府采购电梯最具竞争力品牌、2018年度全国政府采购旧楼加装电梯优秀品牌，连续多年被评为“上海名牌”。

Established in 1992, SHANGHAI FUJIELEVATOR is not only one of the pioneers, practitioners and innovators of Chinese elevator industry, but also one of the earliest runners of national elevator brands, owns A-class qualification in manufacturing, installation, modernization and maintenance, focusing on elevator services for nearly 30 years, made remarkable achievements during the past decades, won the award of BEST SERVICE Brand for National Government Procurement in January 2018, elected to the council unit of China Elevator Association In April 2018, in January 2019, won the Most Competitive Brand of National Government Elevator Procurement & the Excellent Brand elevator for existing buildings of National Government Elevator Procurement in 2018, awarded Shanghai Famous Brand for consecutive years.

上海富士电梯是中国生活电梯新品类的开创者、代表者和引领者——专注、精致、考究的上海工业精神是上海富士电梯的灵魂和内心准则，在传承与创新中不断焕发生机；无论研发、设计、制造、销售、安装、维保乃至旧梯改造与新梯加装业务，上海富士电梯都以匠人为标准，苛求完美、精益求精，成就客户最佳服务；每一部电梯都是我们对于生活的诚意之作，每一部电梯都是倾注匠心的传承级品质之作。

SHANGHAI FUJI ELEVATOR is the inaugurator of life elevator category, putting hearts into focused, refined, sophisticated of, which represents soul of Shanghai industrial spirit, in the inheritance and innovation in the continuous vitality. In research and development, design, manufacturing, sales, installation, maintenance, modernization and elevator adding for old buildings, SHANGHAI FUJI ELEVATOR is on the basis of craftsmen, demanding perfection, keep improving, rendering customers the best service, make each elevator our sincerity to work for life and poured originality level of quality.

上海富士电梯生产基地位于上海浦东，海陆空交通都非常便利，公司拥有垂直电梯和自动扶梯两大现代化的智能制造基地，全新的研发中心大楼将于2019年底落成。依托上海国际大都市的全方位优势，上海富士电梯以先进的管理意识和经营方式，不断迭代创新，以品牌化运作构建竞争优势。以服务化战略助推产业升级，致力于成为优秀的全球建筑交通解决方案服务商，奉献舒适、智能、安全、精致的城市生活友好之梯。

SHANGHAI FUJI ELEVATOR Production Base locates in Pudong, Shanghai with very convenient transportation of air, land and sea, with two modern intelligent manufacturing bases of elevator, escalator and moving walkway. The new building of Research and Development Center will be completed by the end of 2019. Relying on the comprehensive advantages of Shanghai international metropolis, SHANGHAI FUJI ELEVATOR has built a competitive advantage by virtue of its advanced management awareness and management mode, continuous iterative innovation and branding operation. To improve the management efficiency of the information platform, to serve the strategy to promote the upgrading of the industry, we committed to becoming one of the most excellent provider for global construction transportation solutions, dedicate comfort, intelligence, safe, friendly elevator, escalator and moving walkway to life of urban city.

1992年7月，上海富士电梯成立。公司注册资本15000万元。
1993年1月，研制出中国第一支电梯空心导轨。
1997年11月，首台电梯通过上海交通大学电梯检测中心整机性能测试。
2001年6月，中标当年全国最大的订单—河南安阳行政小区203台高品质住宅生活电梯。
2007年11月，被上海市经委评为2007年度“品牌产品”和“品牌企业”。
2007年12月，被上海市质量协会认定为“上海市实施用户满意工程先进单位”。
2008年8月，载重1600kg、速度4m/s乘客电梯、载重10000kg载货电梯、载重10000kg汽车电梯、载重1600kg、速度2m/s观光电梯、载重2000kg、速度2m/s无机房乘客电梯、观光电梯、载货电梯通过上海交大电梯检测中心整机性能测试。

2009年5月，取得高速电梯上梁、轿底、LED吊顶照明等8项专利。
2009年12月，被上海市名牌产品推荐委员会评为“上海名牌”。
2010年12月，被上海市科委认定为“上海市高新技术企业”。
2013年5月，自动扶梯、自动人行道20000平方米新总装车间正式投产，年生产能力一万三千台。
2013年12月，被上海市科委认定为“上海市科技小巨人（培育）企业”。
2016年5月，亮相2016中国国际电梯展，率先发布第一代生活电梯，以主题工匠日和主题生活日两大特色活动轰动展会，获得热烈反响。
2018年1月，荣获“全国政府采购电梯最佳服务品牌”。
2018年4月，当选中国电梯协会理事单位。
2018年5月，在2018中国国际电梯展独家发布全新一代生活电梯、新一代别墅电梯、生活“IE”加装电梯和青年志愿者服务公益形象大使—安安。
2018年9月，被评选为上海市奉贤区企业文化建设示范点单位。
2019年1月，荣获“2018年度全国政府采购电梯最具竞争力品牌”、“2018年度全国政府采购旧楼加装电梯优秀品牌”。
2019年4月，精彩亮相2019廊坊国际电梯展。

In July 1992, SHANGHAI FUJI ELEVATOR was founded, the registered capital was 150 million yuan.
In January 1993, successfully created the first hollow guide rail in China.
In November 1997, the first elevator passed the complete machine function test by the elevator testing center of Shanghai Jiao Tong University.
In November 1997, the first elevator passed the complete machine function test by the elevator testing center of Shanghai Jiao Tong University.
In June 1992, successfully bid the biggest order in China to provide 203 high-quality residential life elevators to Anyang city, Henan province.
In November 2007, evaluated as 2007 Brand Product and Brand Enterprise by Shanghai Economics Committee.
In December 2007, recognized as Shanghai Advanced Unit of Customer Satisfaction Project by Shanghai Quality Association. From April to August in 2008, 1600kg with 4m/s passenger elevator, 10000kg cargo elevator, 1600kg car elevator, 1600kg with 2m/s observation elevator, 2000kg with 2m/s machine roomless passenger elevator, observation elevator and cargo elevator passed the whole machine performance test by the elevator testing center of Shanghai Jiao Tong University.
In May 2009, achieved 8 patents including high-speed elevator cross bar, car platform, LED ceiling lighting.
In December 2009, evaluated as Shanghai Brand by Shanghai Brand Produce Recommendation Committee.
In December 2010, assessed as Shanghai Hi-tech Enterprise by Shanghai Economics Committee.
In May 2013, the new assembly factory of escalator, Walkway Series with 20 thousand square meters was put into production and the annual producing ability was 13 thousand.
In December 2013, assessed as Shanghai Small Giant Enterprise of technology by Shanghai Economics Committee.
In May 2016, made a stage pose at China International Elevator Exhibition 2016, with the theme craftsmen and city life, received enthusiastic response.
In January 2018, won the Best Service Brand of National Government Elevator Procurement.
In April 2018, elected to the council unit of China Elevator Association.
In May 2018, the new life elevator, new villa elevator, IE elevator for existing buildings and ANAN, the ambassador of youth volunteer services, exclusively released at the China International Elevator Exhibition 2018.
In September 2018, it was elected as the demonstration unit of corporate culture of Fengxian District.
In January 2019, won the Most Competitive Brand of National Government Elevator Procurement & the Excellent Brand elevator for existing buildings of National Government Elevator Procurement in 2018.
In April 2019, made a stage pose at Langfang International Elevator Exhibition 2019.

功能特点

轿厢标选配

操纵箱&召唤盒

厅门

井架结构地板

功能配置表

井道布置图技术规格表

关于我们

物联网系统

以客户为本

智立方™电梯物联网系统

Intelligent Cube™, The IoT System Realtime



以客户为尊，服务即生命

Put Clients First, Service Is Life



五星级服务团队

Five-star Service Team

上海富士电梯五星级服务团队，不仅拥有出众的技术能力，还拥有高水平的服务素养，为用户带去高效而舒心的卓越体验。

The five-star service team of SHANGHAI FUJI ELEVATOR has outstanding technical skills and high-level service ability and provides efficient comfortable excellent experiences for users.

覆盖全国的售后服务网络

An after-sales service network Covering the whole country

上海富士电梯在全国各主要城市均设有分支机构，为当地客户做出第一时间的响应及快捷的备件供应。

SHANGHAI FUJI ELEVATOR has set up branches in all major cities in China to respond in the first place and quickly provide spare parts for local customers.



动态监测 及时服务

Monitoring, just in time services

智慧云

Smart Cloud

对电梯全生命周期的设备运行状态进行采集、预处理并传输至云平台。并可实现高网络安全性保障下运行应用程序和流媒体，处理应急通话。

The full-life-circle equipment operation conditions of elevators are collected, pretreated and transmitted to the cloud platform. The high network safety guarantees that it can run applications and streaming media and handle emergency calls.

智平台

Smart Platform

采用大数据分析和人工智能技术，对电梯的各项信息进行分析，能够为维保工作进行预警，在出现问题或使用寿命到期前提醒维保。

It adopts big data analysis and artificial intelligence technologies to analyze all elevator information so it can give an early warning for maintenance work and remind maintenance personnel of maintenance work when problems occur or the service life has expired.

智互联

Smart Internet

上海富士电梯智立方物联网系统信息能够接入各类终端设备，为电梯的使用和维保提供更多便利。

Intelligent cube, the various terminal devices can access the IoT system information to facilitate the use and maintenance of elevators much more.

□ 选配
□ Optional

功能特点

轿厢标配

操纵箱&召唤盒

厅门

井架结构地板

功能配置表

井道布置图技术规格表

关于我们

物联网系统

以客户为尊